







Power Your World

The new IONIQ 5 powers your world with its innovative technologies and enhanced iconic design, upholding the expectation of its award-winning breed. Widen your spectrum of EV experience and discover new possibilities with the upgraded IONIQ 5, powering your tomorrow.

Exterior

Every inch of the new IONIQ 5 has been carefully refined, including the wheel details, strengthening its iconic design and improving aerodynamics.



Wide Front Skid & Bumper Design / Full LED Headlamps (Projection Type)



20-inch Alloy Wheels

The innovative LED lighting design with the signature Parametric Pixels can be found in the back as well, while rear spoiler adds sleekness to the design.



Wide Rear Skid & Bumper Design / Full LED Rear Combination Lamps







Rear Wiper





Interior

Furnished with innovation to further extend your comfortable living space.



Universal Island (Sliding Console) / Wireless Charger






Interactive Pixel Light (Start / Reverse / Charging)
Ambient Mood Lamp (64 color)



12.3-inch AVNT & Cluster / ccNC (connected car Navigation Cockpit)

Enhanced technologies hidden under premium materials and simple design provide comfort and versatility.



Front Premium Relaxation Seat



2nd-row Power Sliding (LH/RH) Seat





Integrated Memory Seat 2nd-row Seat Remote Folding

Convenience


Ready to assist you to focus on your own journey, boasting the wide selection of innovative features.





Digital Center Mirror (Full-Display Rearview Mirror)

Head-up Display (HUD)






Vehicle-to-Load (Inside V2L)

Vehicle-to-Load (Outside V2L)

The new IONIQ 5 supports your everyday lifestyle, balancing digital features with practicality for intuitive comfort.



1st-row Heating & Ventilation (Physical Button)



IFS (Intelligent Front-Lighting System) LED Head Lamps



Smart Power Tailgate

Performance

A bigger battery and newly applied e-ASD make your driving more enjoyable.

 $\begin{array}{lll} & \text{Maximum Power (kW) / } \\ & \text{Torque (Nm)} \end{array} \hspace{-0.5cm} 239 \text{kW} / 605 \text{Nm} \hspace{0.1cm} \overset{\text{AWD}}{\text{Long Range}} \hspace{0.1cm} \overset{\text{Battery}}{\text{Capacity}} \hspace{0.1cm} 84 \text{_OkWh} \end{array}$





Electric Active Sound Design (e-ASD)

Charging

Electrify your days through Ultra-fast charging and longer all-electric range.

500km

Top driving range of over 500 km* 18min Ultra-fast charge 10% to 80% (battery temperature 25°C)







Interactive Pixel Lights (Battery Status)
Electric Charging Door

^{*} Motor specifications may vary based on regional regulations. Please consult your local dealer.

Safety

Reinforced with advanced technologies staying alert to provide you a more relaxed and safe journey.





Blind-Spot View Monitor (BVM)

Surround View Monitor (SVM)





Rear Occupant Alert (ROA) 6 Airbags

Features



LED Pixel Type Daytime Running Lights



Full LED Headlamps (Projection Type)



Turn Signal Indicator LED Outside Mirror



Garnish Hidden Lighting



LED Rear Combination Lamps



Panoramic Sunroof



1st & 2nd-row Acoustic Glass



Smart Powered Tailgate



BOSE Premium Sound



Vision Roof



Wireless Charger



2nd-row Manual Door Curtain



Auto Temp. Control (Dual)



Metal Pedal



2nd-row Air Vent



Metal Door Scuff


^{*} Features and specifications may vary by market. Please consult your local dealer.

Interior colors



Black Monotone

Exterior colors



New Series of Compact assets # Series Serie	Model		IONIQ 5
Exterior ¼ ₩ ¼ 1 (mm) 4855 x 1800 x 1000 Wheelbase (mm) 3000 Ground Clearance (mm) 170 170 Kerb Weght (ke) 2540 2540 Kins Weght (ke) 2540 300 Kins Weght (ke) 2540 300 Kins Weght (ke) 2540 300 Kins Weght (ke) 259 359 Restrict Moral (minum furning Radius) 250 359 Stating Capacity 250 359 Restrict Moral (minum furning Radius) 250 359 Stating Capacity 250 359 Capacity (L.Y. Lange (minum furning Radius) 359 359 359 359 359 359 359 359 359 359 359 359 359 359 359 359 359 359 359<	Dimensions		
Revelope (min) 1 3000 Revelope (min) 1 3000 3000 Revelope (min) 1 3000 3000 3000 Revelope (min) 1 3000	Body Type		Compact crossover SUV
Ground Clearance (mm) 170 Kerb Weight (kg) 2009 2180 Cross Vehicle Weight (kg) 254 Steating Capacity 5.99 Seating Capacity 5.99 2 persons Cargo Capacity (L) 6.00 Electric Motor 8.00 Electric Motor Max. Prove (fw) (gs) 9.00 Electric Motor Max. Prove (fw) (gs) 6.00 Electric Motor Max. Prove (fw) (gs) 9.00 Electric Motor Max. Prove (fw) (gs)	Exterior L x W x H (mm)		4655 x 1890 x 1605
Ker Weight (kg) 2000-2180 Gross Vehicle Weight (kg) 2540 Minimum Turning Radius (m) 5.99 Seating Capacity 5.persons Number of Seating Rows 2.0 capacity (m) Cargo Capacity (m) 7.5 Electric Motor 7.5 Electric Motor ype Permanent magnet synchronous motor (PMSM) Electric Motor Max, Power (kW (ps)) 2.93 (325) Electric Motor Max, Torque (m) 605 Electric Motor Max, Torque (m) 8 Apple Novel (WH) 8 Capacity (WH) 8 Power Outp (kW) 2.77 Capacity (WH)/kg) 6.73 Molago (Max) Garge (m) 6.79 Outp (m) 6.00 Chroy Capacity (WH)/kg) 9.70 Apple (m) 6.00 Chroy Capacity (WH)/kg) 6.70 Apple (m) 6.00 Chroy Capacity (WH) 6.00	Wheelbase (mm)		3000
Gross Vehicle Weight (kg) 2540 Minimum Turning Radius (m) 5.99 Seeting Capacity 5 persons Rumber of Seating Rows 2 crows Electric Motor Electric Motor Two (pm) Electric Motor Electric Motor Type Permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 2 permanent magnet synchronous motor (PMSM) <td>Ground Clearance (mm)</td> <td></td> <td>170</td>	Ground Clearance (mm)		170
Minimum Turning Radius (m.) 5.99 Seating Capacity 5 persons Rumber of Seating Rows : The Capacity (**) 2 rows (**) Betric Motor Electric Motor type 9 Permanent magnet synchronous motor (PMSM) Electric Motor type 1 (2 hours) Electric Motor Max. Power (kW (ps)) 605 Electric Motor Max. Torque (nm) 605 Electric Motor Max. Torque (nm) 84 Power Output (kW) 277 Power Output (kW) 277 Power Output (kW) 176.3 Energy desiry (kWh/kg) 667 Total Electric. Range 10 to 500 km Drive Type & Transmission Total Electric. Range Single-speed reduction ger Total Electric. Range Amount of the Electric Range Total Electric. Range T	Kerb Weight (kg)		2090-2180
Spering Spering Spering Spering Cargo Capacity (1) Cargo Capacity (2) Cargo Capacity (2) Capacity (2) Capacity (2) Capacity (2) Capacity (Aborty) Capacity (Motor Max-Power (MV (ps)) Capacity (Motor Max-Power (MV (ps)) <td>Gross Vehicle Weight (kg)</td> <td></td> <td>2540</td>	Gross Vehicle Weight (kg)		2540
Townstring Rows 2 rows Cargo Capacity (L) 745 Electric Motor Electric Motor type Permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (KW (ps)) 239 (325) Electric Motor Max. Torque (mm) 605 Type Lithium-lon 27 Power Output (kW) 27 Energy density (kWh/kg) 697 Voltage (V) 697 All Electric-Range AWD Town Expression Townsision Single-speed reduction gear Townsision Single-speed reduction gear Townsision (Sea Shift - by-wire)	Minimum Turning Radius (m))	5.99
Cago Capacity (L) 745 Electric Motor Ver Defension on word (PMSM) Betetric Motor Max. Power (kW (ps)) Permanent magnet synchronous motor (PMSM) Betetric Motor Max. Power (kW (ps)) 239 (325) Electric Motor Max. Torque (nm) 6 (65) Type 1 (2) (2) (2) (2) (2) (2) (2) (2) (2) (2)	Seating Capacity		5 persons
Electric Motor Electric Motor Max. Power (kW (ps)) Permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 239 (325) Electric Motor Max. Torque (nm) 605 Electric Motor Max. Torque (nm) 605 Capacity (kWh) 84 Capacity (kWh) 84 Power Output (kW) 277 Power Output (kW) 697 Voltage (V) 697 All-Electric-Range AWD Drive Type & Transmission A MVD Torsmission Gear Shift Torsmission Gear Shift	Number of Seating Rows		2 rows
Electric Motor Electric Motor Max. Power (kW (ps)) Permanent magnet synchronous motor (PMSM) Electric Motor Max. Power (kW (ps)) 239 (325) Electric Motor Max. Torque (nm) 605 Manapan Annapan Ann	Cargo Capacity (L)		745
Electric Motor Electric Motor Max. Power (kW (ps)) 239 (325) Electric Motor Max. Torque (nm) 605 Apple (Piper Max. Torque (nm) 1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	Electric Motor		
Electric Motor Max. Torque (nm)		Electric Motor type	Permanent magnet synchronous motor (PMSM)
Apper Path Path Path Path Path Path Path Path	Electric Motor	Electric Motor Max. Power (kW (ps))	239 (325)
Battery and Range 6 apacity (kWH) 84 Power Output (kW) 277 Energy density (kWh/kg) 176.3 Voltage (V) 697 All-Electric-Range up to 500 km Drive Type & Transmission Transmission Single-speed reduction gear Transmission Gear Shift Column type Shift-by-wire		Electric Motor Max. Torque (nm)	605
Battery and Range Power Output (kW) 277 Energy density (kWh/kg) 176.3 Voltage (V) 697 All-Electric-Range up to 500 km AWD Transmission Single-speed reduction gear Transmission Gear Shift Column type Shift-by-wire		Туре	Lithium-lon
Battery and Range Energy density (kWh/kg) 70ltage (V) All-Electric-Range Drive Type & Transmission Drive Transmission Transmission Transmission Gear Shift Energy density (kWh/kg) 176.3 176.3		Capacity (kWH)	84
Energy density (kWh/kg) 176.3 Voltage (V) 697 All-Electric-Range up to 500 km Drive Type & Transmission Drive AWD Transmission Single-speed reduction gear Transmission Gear Shift Column type Shift-by-wire	Pattery and Dange	Power Output (kW)	277
All-Electric-Range Drive Type & Transmission Drive Transmission Transmission Gear Shift All-Electric-Range up to 500 km AWD AWD Column type Shift-by-wire	battery and Kange	Energy density (kWh/kg)	176.3
Drive Type & Transmission Drive AWD Transmission Single-speed reduction gear Transmission Gear Shift Column type Shift-by-wire		Voltage (V)	697
DriveAWDTransmissionSingle-speed reduction gearTransmission Gear ShiftColumn type Shift-by-wire		All-Electric-Range	up to 500 km
Transmission Single-speed reduction gear Transmission Gear Shift Column type Shift-by-wire	Drive Type & Transmission		
Transmission Gear Shift Column type Shift-by-wire	Drive		AWD
	Transmission		Single-speed reduction gear
Drive Mode Select Eco, Normal, Sport, Snow	Transmission Gear Shift		Column type Shift-by-wire
	Drive Mode Select		Eco, Normal, Sport, Snow

Model		IONIQ 5	
Wheel & Tyre			
Wheel & Tyre	Wheel	20" Alloy	
	Tyre Size	255/45 R20	
	Tyre Pressure Monitoring System	0	
Suspension	Suspension		
Suspension	Front	Macpherson Strut Type	
- Juspension	Rear	Multi-Link	
Shock Absorber	Front	Gas	
ONO CRADO DE	Rear	Gas	
Steering Wheel			
Material		Leather Wrapped	
Heated		0	
Adjustment		Tilt & Telescopic	
Air Bag			
Driver		0	
Passenger		0	
Side		0	
Curtain		0	
Brake	Brake		
Brake	Front	17" Disc (Ventilated)	
	Rear	17" Disc (Ventilated)	
Anti-Lock Braking System (ABS)		0	
Auto Brake Hold		0	
Electronic Brake-Force Distribution (EBD)		0	
Brake Assist (BA)		0	

Model		IONIQ 5
Brake		
Electronic Stability Control (ESC)	0
Hill-Start Assist Control (HAC)		0
Traction Control System (TC/TCS	S)	0
Parking Brake	Туре	Electronic Parking Brake (EPB)
Locks & Security		
	Central Door Locking	0
Door Locking	Speed Sensing Door Lock	0
	Child Safety Lock	○ (Power, Auto)
Powered Tail Gate		○ (Height Adjustable)
Smart Tail Gate		0
	Keyless Entry	Smart Entry
Key Set	Burglar Alarm	0
	Push Start Button	0
Immobilizer		0
Exterior		
Bumper	Front	Body Colour with Satin Chrome & Piano Black
Bumper	Rear	Body Colour with Satin Chrome & Piano Black
	Finish	Two Tone (Body + Black of downside)
	Power Adjustable	0
Side Mirror	Power Retractable	\circ
	Heated	0
	with Turn Signal	0
Spoiler		Tailgate mounted aero type
Antenna		Shark Fin

Model		IONIQ 5
Door		
Inside Door Trim		Single Tone (Black)
Map Pocket		0
Door Outside Handle		Flush Type (Body Color)
Door Inside Handle		Alloy effect finish
Power Windows		0
Auto Up Down & Safety Windows		Front only (D+P)
Roof		
Inside Rear View Mirror		ECM
Sun visor	Vanity Mirror	○(D+P)
Sull visor	with Illumination	0
Sunroof		○ (Panoramic)
Seat		
Seat Upholstery		Leather
	Headrest	Up / Down
	Seat Height Adjuster	○(D+P)
	Power Seat	10-way powered (D+P)
Front Seat	Lumbar Support	2-way (D+P)
	Memory Seats	○ (Driver only)
	Heated Seats	0
	Ventilated Seat	0

The above values are results from internal testing and are subject to change after validation.

Some of the equipment illustrated or described in this catalog may not be supplied as standard equipment and may be available at extra cost.

Hyundai Nishat Motor (Private) Limited reserves the right to change specifications and equipment without prior notice.

The color palettes shown may vary slightly from the actual colors due to the limitations of the printing process.

Please consult your dealer for full information and availability on colors and trims.

^{*}Specifications may vary without prior notice

^{**}Terms & Conditions Apply

Model		IONIQ 5	
Seat	Seat		
	Centre Console Box	0	
Front Seat	Foot Rest	0	
	Seat Back Pocket	0	
	Headrest	Up /Down (LH/RH/CENTER)	
	Powered Rear Seats	○(2-way)	
Rear Seat	Rear Seat Folding	60:40 Split	
	Armrest with Cup Holder	0	
	Rear Door Side Curtain	0	
Seat Belt			
Seat Belt	Front	3 point ELR (with Pretensioner and Force Limiter)	
- Court Beit	Rear	3 point ELR (with Pretensioner and Force Limiter)	
Child Restraint System		ISOFIX	
Lighting			
	Head Lamp	Dual LED Headlamps	
	Daytime Running Lamp	Parametric pixel LED	
Front	Auto Light Control	0	
	Headlight Delay	0	
	Headlight Height Adjuster	0	
Rear	Rear Combination Lamp	Parametric pixel LED tail lamps	
IVEGI	High Mount Stop Lamp	Parametric pixel high-mounted stop lamp	

The above values are results from internal testing and are subject to change after validation.

Some of the equipment illustrated or described in this catalog may not be supplied as standard equipment and may be available at extra cost.

Hyundai Nishat Motor (Private) Limited reserves the right to change specifications and equipment without prior notice.

The color palettes shown may vary slightly from the actual colors due to the limitations of the printing process.

Please consult your dealer for full information and availability on colors and trims.

^{*}Specifications may vary without prior notice

^{**}Terms & Conditions Apply

Model		IONIQ 5
Lighting	Lighting	
Rear	Rear Fog Lamp	0
	Overhead Console Lamp	0
Cabin	Room Lamp	0
Cabiii	Mood Lamp	Ambient Light
	Luggage Lamp	0
Instrument		
Cluster Type		12.3" Digital
Comfort & Safety		
Parking Sensor		Front & Rear
Auto Cruise Control		0
Steering Wheel Remote Control		0
Voice Recognition Control		\circ
Remote Engine Start		0
Paddle Shifters		0
Seat Belt Warning		Driver only
Battery Charger		Wireless Charger + 180W outlet (x2)
Vehicle-to-Load Technology		0
Blind Spot View Monitor		0
Rear Occupant Alert		0
Rain-sensing Wipers		0

The above values are results from internal testing and are subject to change after validation.

Some of the equipment illustrated or described in this catalog may not be supplied as standard equipment and may be available at extra cost.

Hyundai Nishat Motor (Private) Limited reserves the right to change specifications and equipment without prior notice.

The color palettes shown may vary slightly from the actual colors due to the limitations of the printing process.

Please consult your dealer for full information and availability on colors and trims.

^{*}Specifications may vary without prior notice

^{**}Terms & Conditions Apply

Model		IONIQ 5	
AVN	AVN		
Audio	AVN Screen Size 12.3" Infotainment Display		
Connectivity	USB / AUX	USB (x5)	
Connectivity	Bluetooth	\circ	
Android Auto & Apple CarPlay		\circ	
Wireless Charging		\circ	
Camera	Rear View Camera	\circ	
Carriera	Surround View	\circ	
Number of Speakers		6 (Premium Bose Sound System)	
Antenna		Shark Fin	
Heater & Air Conditioning			
Air Conditioner		Automatic Dual Zone	
Auto Defogger		0	
Rear AC Ventilation (Rear Seat	s)	0	

4,655





- *Whichever comes first
- **Terms and conditions apply



Wheel tread (mm) 1,628 Overall width (mm) 1,890



Wheelbase Overall length



Wheel tread (mm) 1,637



Dealer stamp

Hyundai Nishat Motor (Private) Limited

1-B, Aziz Avenue, Canal Bank Road, Gulberg V, Lahore Phone: 042-111-111-466, info@hyundai-nishat.com

¶⊚im ▶ hyundaipakistanofficial